


# PageSpeed Insights

## Mobile



### WEB DESIGN IN ST JOHN'S

Specializing in web design, print design, logo branding, photography and hosting. Egginton Design will work with you to bring your ideas to life so you can promote your business effectively with

**50 / 100** Speed

**!** Should Fix:

### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://egginton.ca/img/devices//macbook.png> (expiration not specified)
- <http://egginton.ca/img/intro-home5.jpg> (expiration not specified)
- <http://egginton.ca/img/intro-home7.jpg> (expiration not specified)
- <http://egginton.ca/img/intro-ice.jpg> (expiration not specified)
- <http://egginton.ca/img/intro-pen.jpg> (expiration not specified)
- <http://egginton.ca/img/logo-dark.png> (expiration not specified)

## Mobile

- <http://egginton.ca/img/logo-white.png> (expiration not specified)
- <http://egginton.ca/img/parallax1.jpg> (expiration not specified)
- <http://egginton.ca/img/portfolio/wr4c5.jpg> (expiration not specified)
- <http://egginton.ca/img/themes/tangerine/logo-intro.png> (expiration not specified)
- [http://egginton.ca/scripts/circle\\_diagram.js](http://egginton.ca/scripts/circle_diagram.js) (expiration not specified)
- <http://egginton.ca/scripts/main.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/ScrollToPlugin.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/TweenMax.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/bootstrap-hover-dropdown.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/bootstrap-rating-input.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/bootstrap-slider.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/bootstrap.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/idangerous.swiper.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/imagesloaded.pkgd.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/isotope.pkgd.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.ba-cond.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.bootstrap-touchspin.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.bxslider.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.countTo.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.easing.1.3.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.easypiechart.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.fillparent.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.fitvids.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.placeholder.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.prettyPhoto.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.scrollmagic.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.slitslider.js> (expiration not specified)

## Mobile

- <http://egginton.ca/scripts/vendor/jquery.validate.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.waitforimages.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/modernizr.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/owl.carousel.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/queryloader2.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/raphael-min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/wow.min.js> (expiration not specified)
- <http://egginton.ca/styles/animate.css> (expiration not specified)
- <http://egginton.ca/styles/bootstrap-slider.css> (expiration not specified)
- <http://egginton.ca/styles/bootstrap.min.css> (expiration not specified)
- <http://egginton.ca/styles/device-mockups2.css> (expiration not specified)
- <http://egginton.ca/styles/font-awesome.css> (expiration not specified)
- <http://egginton.ca/styles/idangerous.swiper.css> (expiration not specified)
- <http://egginton.ca/styles/jquery.bxslider.css> (expiration not specified)
- <http://egginton.ca/styles/main-responsive.css> (expiration not specified)
- <http://egginton.ca/styles/main.css> (expiration not specified)
- <http://egginton.ca/styles/owl.carousel.css> (expiration not specified)
- <http://egginton.ca/styles/owl.theme.css> (expiration not specified)
- <http://egginton.ca/styles/prettyPhoto.css> (expiration not specified)
- <http://egginton.ca/styles/slit-slider-custom.css> (expiration not specified)
- <http://egginton.ca/styles/slit-slider-style.css> (expiration not specified)
- [http://egginton.ca/styles/theme\\_tangerine.css](http://egginton.ca/styles/theme_tangerine.css) (expiration not specified)
- <http://egginton.ca/styles/yamm.css> (expiration not specified)
- [https://maps.googleapis.com/maps/api/js?v=3.exp&callback=Ottavio.gmaps&\\_=1514734986671](https://maps.googleapis.com/maps/api/js?v=3.exp&callback=Ottavio.gmaps&_=1514734986671) (30 minutes)
- <https://embed.tawk.to/570660f827dba83622e0a6b1/default> (60 minutes)
- <http://www.google-analytics.com/analytics.js> (2 hours)

### Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 31 blocking script resources and 17 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

#### [Remove render-blocking JavaScript:](#)

- <http://egginton.ca/scripts/vendor/modernizr.js>
- <http://egginton.ca/scripts/vendor/jquery.bxslider.min.js>
- <http://egginton.ca/scripts/vendor/jquery.js>
- <http://egginton.ca/scripts/vendor/queryloader2.min.js>
- <http://egginton.ca/scripts/vendor/owl.carousel.js>
- <http://egginton.ca/scripts/vendor/jquery.ba-cond.min.js>
- <http://egginton.ca/scripts/vendor/jquery.slitslider.js>
- <http://egginton.ca/scripts/vendor/idangerous.swiper.js>
- <http://egginton.ca/scripts/vendor/jquery.fitvids.js>
- <http://egginton.ca/scripts/vendor/jquery.countTo.js>
- <http://egginton.ca/scripts/vendor/TweenMax.min.js>
- <http://egginton.ca/scripts/vendor/ScrollToPlugin.min.js>
- <http://egginton.ca/scripts/vendor/jquery.scrollmagic.min.js>
- <http://egginton.ca/scripts/vendor/jquery.easypiechart.js>
- <http://egginton.ca/scripts/vendor/jquery.validate.js>
- <http://egginton.ca/scripts/vendor/wow.min.js>
- <http://egginton.ca/scripts/vendor/jquery.placeholder.js>
- <http://egginton.ca/scripts/vendor/jquery.easing.1.3.min.js>
- <http://egginton.ca/scripts/vendor/jquery.waitforimages.min.js>
- <http://egginton.ca/scripts/vendor/jquery.prettyPhoto.js>

## Mobile

- <http://egginton.ca/scripts/vendor/imagesloaded.pkgd.min.js>
- <http://egginton.ca/scripts/vendor/isotope.pkgd.min.js>
- <http://egginton.ca/scripts/vendor/jquery.fillparent.min.js>
- <http://egginton.ca/scripts/vendor/raphael-min.js>
- <http://egginton.ca/scripts/vendor/bootstrap.js>
- <http://egginton.ca/scripts/vendor/jquery.bootstrap-touchspin.min.js>
- <http://egginton.ca/scripts/vendor/bootstrap-slider.js>
- <http://egginton.ca/scripts/vendor/bootstrap-rating-input.js>
- <http://egginton.ca/scripts/vendor/bootstrap-hover-dropdown.min.js>
- [http://egginton.ca/scripts/circle\\_diagram.js](http://egginton.ca/scripts/circle_diagram.js)
- <http://egginton.ca/scripts/main.js>

[Optimize CSS Delivery](#) of the following:

- <http://fonts.googleapis.com/css?family=Montserrat:400,700%7COpen+Sans:300italic,400italic,600italic,700italic,800italic,300,400,600,700>
- <http://egginton.ca/styles/font-awesome.css>
- <http://egginton.ca/styles/jquery.bxslider.css>
- <http://egginton.ca/styles/owl.carousel.css>
- <http://egginton.ca/styles/owl.theme.css>
- <http://egginton.ca/styles/slit-slider-style.css>
- <http://egginton.ca/styles/slit-slider-custom.css>
- <http://egginton.ca/styles/idangerous.swiper.css>
- <http://egginton.ca/styles/yamm.css>
- <http://egginton.ca/styles/animate.css>
- <http://egginton.ca/styles/prettyPhoto.css>
- <http://egginton.ca/styles/bootstrap-slider.css>
- <http://egginton.ca/styles/device-mockups2.css>
- <http://egginton.ca/styles/bootstrap.min.css>
- <http://egginton.ca/styles/main.css>

## Mobile

- <http://egginton.ca/styles/main-responsive.css>
- [http://egginton.ca/styles/theme\\_tangerine.css](http://egginton.ca/styles/theme_tangerine.css)

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 153.6KiB (19% reduction).

- Compressing <http://egginton.ca/img/intro-home5.jpg> could save 135.4KiB (21% reduction).
- Compressing <http://egginton.ca/img/parallax1.jpg> could save 18.2KiB (12% reduction).



## Consider Fixing:

## Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 2.6KiB (17% reduction).

- Minifying <http://egginton.ca/styles/main.css> could save 1KiB (13% reduction) after compression.
- Minifying <http://egginton.ca/styles/animate.css> could save 1KiB (24% reduction) after compression.
- Minifying <http://egginton.ca/styles/prettyPhoto.css> could save 620B (19% reduction) after compression.

## Minify HTML

## Mobile

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 580B (15% reduction).

- Minifying <http://egginton.ca/> could save 580B (15% reduction) after compression.

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 78.3KiB (43% reduction).

- Minifying <http://egginton.ca/scripts/vendor/jquery.js> could save 41.7KiB (50% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/modernizr.js> could save 10.1KiB (66% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/idangerous.swiper.js> could save 5.8KiB (30% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/jquery.validate.js> could save 3.6KiB (34% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/bootstrap.js> could save 3KiB (23% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/jquery.prettyPhoto.js> could save 2.9KiB (33% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/bootstrap-slider.js> could save 2.7KiB (33% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/owl.carousel.js> could save 1.8KiB (21% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/jquery.slitslider.js> could save 1.7KiB (39% reduction) after compression.
- Minifying <http://egginton.ca/scripts/main.js> could save 1.7KiB (28% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/jquery.easypiechart.js> could save 1.1KiB (39% reduction) after compression.

## Mobile

- Minifying <http://egginton.ca/scripts/vendor/jquery.easing.1.3.min.js> could save 1,013B (55% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/jquery.placeholder.js> could save 619B (34% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/bootstrap-rating-input.js> could save 574B (37% reduction) after compression.

### Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 15% of the final above-the-fold content could be rendered with the full HTML response snapshot:48.



### 3 Passed Rules

#### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

#### Enable compression

You have compression enabled. Learn more about [enabling compression](#).

#### Reduce server response time



## Mobile

Your server responded quickly. Learn more about [server response time optimization](#).

### 100 / 100 User Experience

 5 Passed Rules

#### Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

#### Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

#### Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

#### Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

#### Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

## Desktop

## Desktop



WFR DESIGN |



62 / 100 Speed

! Should Fix:

### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://egginton.ca/img/devices//macbook.png> (expiration not specified)
- <http://egginton.ca/img/intro-home5.jpg> (expiration not specified)
- <http://egginton.ca/img/intro-home7.jpg> (expiration not specified)
- <http://egginton.ca/img/intro-ice.jpg> (expiration not specified)
- <http://egginton.ca/img/intro-pen.jpg> (expiration not specified)
- <http://egginton.ca/img/logo-dark.png> (expiration not specified)
- <http://egginton.ca/img/logo-white.png> (expiration not specified)
- <http://egginton.ca/img/parallax1.jpg> (expiration not specified)
- <http://egginton.ca/img/portfolio/wr4c5.jpg> (expiration not specified)
- <http://egginton.ca/img/themes/tangerine/logo-intro.png> (expiration not specified)
- [http://egginton.ca/scripts/circle\\_diagram.js](http://egginton.ca/scripts/circle_diagram.js) (expiration not specified)
- <http://egginton.ca/scripts/main.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/ScrollToPlugin.min.js> (expiration not specified)

## Desktop

- <http://egginton.ca/scripts/vendor/TweenMax.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/bootstrap-hover-dropdown.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/bootstrap-rating-input.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/bootstrap-slider.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/bootstrap.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/idangerous.swiper.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/imagesloaded.pkgd.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/isotope.pkgd.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.ba-cond.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.bootstrap-touchspin.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.bxslider.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.countTo.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.easing.1.3.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.easypiechart.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.fillparent.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.fitvids.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.placeholder.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.prettyPhoto.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.scrollmagic.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.slitslider.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.validate.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/jquery.waitforimages.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/modernizr.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/owl.carousel.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/queryloader2.min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/raphael-min.js> (expiration not specified)
- <http://egginton.ca/scripts/vendor/wow.min.js> (expiration not specified)

## Desktop

- <http://egginton.ca/styles/animate.css> (expiration not specified)
- <http://egginton.ca/styles/bootstrap-slider.css> (expiration not specified)
- <http://egginton.ca/styles/bootstrap.min.css> (expiration not specified)
- <http://egginton.ca/styles/device-mockups2.css> (expiration not specified)
- <http://egginton.ca/styles/font-awesome.css> (expiration not specified)
- <http://egginton.ca/styles/idangerous.swiper.css> (expiration not specified)
- <http://egginton.ca/styles/jquery.bxslider.css> (expiration not specified)
- <http://egginton.ca/styles/main-responsive.css> (expiration not specified)
- <http://egginton.ca/styles/main.css> (expiration not specified)
- <http://egginton.ca/styles/owl.carousel.css> (expiration not specified)
- <http://egginton.ca/styles/owl.theme.css> (expiration not specified)
- <http://egginton.ca/styles/prettyPhoto.css> (expiration not specified)
- <http://egginton.ca/styles/slit-slider-custom.css> (expiration not specified)
- <http://egginton.ca/styles/slit-slider-style.css> (expiration not specified)
- [http://egginton.ca/styles/theme\\_tangerine.css](http://egginton.ca/styles/theme_tangerine.css) (expiration not specified)
- <http://egginton.ca/styles/yamm.css> (expiration not specified)
- [https://maps.googleapis.com/maps/api/js?v=3.exp&callback=Ottavio.gmaps&\\_=1514735001380](https://maps.googleapis.com/maps/api/js?v=3.exp&callback=Ottavio.gmaps&_=1514735001380) (30 minutes)
- <https://embed.tawk.to/570660f827dba83622e0a6b1/default> (60 minutes)
- <http://www.google-analytics.com/analytics.js> (2 hours)

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 155.6KiB (20% reduction).

- Compressing <http://egginton.ca/img/intro-home5.jpg> could save 135.4KiB (21% reduction).
- Compressing <http://egginton.ca/img/parallax1.jpg> could save 18.2KiB (12% reduction).

## Desktop

- Compressing and resizing <http://egginton.ca/img/logo-white.png> could save 2KiB (44% reduction).

### Consider Fixing:

#### Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 2.6KiB (17% reduction).

- Minifying <http://egginton.ca/styles/main.css> could save 1KiB (13% reduction) after compression.
- Minifying <http://egginton.ca/styles/animate.css> could save 1KiB (24% reduction) after compression.
- Minifying <http://egginton.ca/styles/prettyPhoto.css> could save 620B (19% reduction) after compression.

#### Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 580B (15% reduction).

- Minifying <http://egginton.ca/> could save 580B (15% reduction) after compression.

#### Minify JavaScript

## Desktop

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 78.3KiB (43% reduction).

- Minifying <http://egginton.ca/scripts/vendor/jquery.js> could save 41.7KiB (50% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/modernizr.js> could save 10.1KiB (66% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/idangerous.swiper.js> could save 5.8KiB (30% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/jquery.validate.js> could save 3.6KiB (34% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/bootstrap.js> could save 3KiB (23% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/jquery.prettyPhoto.js> could save 2.9KiB (33% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/bootstrap-slider.js> could save 2.7KiB (33% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/owl.carousel.js> could save 1.8KiB (21% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/jquery.slitslider.js> could save 1.7KiB (39% reduction) after compression.
- Minifying <http://egginton.ca/scripts/main.js> could save 1.7KiB (28% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/jquery.easypiechart.js> could save 1.1KiB (39% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/jquery.easing.1.3.min.js> could save 1,013B (55% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/jquery.placeholder.js> could save 619B (34% reduction) after compression.
- Minifying <http://egginton.ca/scripts/vendor/bootstrap-rating-input.js> could save 574B (37% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

## Desktop

Your page has 31 blocking script resources and 17 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- <http://egginton.ca/scripts/vendor/modernizr.js>
- <http://egginton.ca/scripts/vendor/jquery.bxslider.min.js>
- <http://egginton.ca/scripts/vendor/jquery.js>
- <http://egginton.ca/scripts/vendor/queryloader2.min.js>
- <http://egginton.ca/scripts/vendor/owl.carousel.js>
- <http://egginton.ca/scripts/vendor/jquery.ba-cond.min.js>
- <http://egginton.ca/scripts/vendor/jquery.slitslider.js>
- <http://egginton.ca/scripts/vendor/idangerous.swiper.js>
- <http://egginton.ca/scripts/vendor/jquery.fitvids.js>
- <http://egginton.ca/scripts/vendor/jquery.countTo.js>
- <http://egginton.ca/scripts/vendor/TweenMax.min.js>
- <http://egginton.ca/scripts/vendor/ScrollToPlugin.min.js>
- <http://egginton.ca/scripts/vendor/jquery.scrollmagic.min.js>
- <http://egginton.ca/scripts/vendor/jquery.easypiechart.js>
- <http://egginton.ca/scripts/vendor/jquery.validate.js>
- <http://egginton.ca/scripts/vendor/wow.min.js>
- <http://egginton.ca/scripts/vendor/jquery.placeholder.js>
- <http://egginton.ca/scripts/vendor/jquery.easing.1.3.min.js>
- <http://egginton.ca/scripts/vendor/jquery.waitforimages.min.js>
- <http://egginton.ca/scripts/vendor/jquery.prettyPhoto.js>
- <http://egginton.ca/scripts/vendor/imagesloaded.pkgd.min.js>
- <http://egginton.ca/scripts/vendor/isotope.pkgd.min.js>
- <http://egginton.ca/scripts/vendor/jquery.fillparent.min.js>

## Desktop

- <http://egginton.ca/scripts/vendor/raphael-min.js>
- <http://egginton.ca/scripts/vendor/bootstrap.js>
- <http://egginton.ca/scripts/vendor/jquery.bootstrap-touchspin.min.js>
- <http://egginton.ca/scripts/vendor/bootstrap-slider.js>
- <http://egginton.ca/scripts/vendor/bootstrap-rating-input.js>
- <http://egginton.ca/scripts/vendor/bootstrap-hover-dropdown.min.js>
- [http://egginton.ca/scripts/circle\\_diagram.js](http://egginton.ca/scripts/circle_diagram.js)
- <http://egginton.ca/scripts/main.js>

[Optimize CSS Delivery](#) of the following:

- <http://fonts.googleapis.com/css?family=Montserrat:400,700%7COpen+Sans:300italic,400italic,600italic,700italic,800italic,300,400,600,700>
- <http://egginton.ca/styles/font-awesome.css>
- <http://egginton.ca/styles/jquery.bxslider.css>
- <http://egginton.ca/styles/owl.carousel.css>
- <http://egginton.ca/styles/owl.theme.css>
- <http://egginton.ca/styles/slit-slider-style.css>
- <http://egginton.ca/styles/slit-slider-custom.css>
- <http://egginton.ca/styles/idangerous.swiper.css>
- <http://egginton.ca/styles/yamm.css>
- <http://egginton.ca/styles/animate.css>
- <http://egginton.ca/styles/prettyPhoto.css>
- <http://egginton.ca/styles/bootstrap-slider.css>
- <http://egginton.ca/styles/device-mockups2.css>
- <http://egginton.ca/styles/bootstrap.min.css>
- <http://egginton.ca/styles/main.css>
- <http://egginton.ca/styles/main-responsive.css>
- [http://egginton.ca/styles/theme\\_tangerine.css](http://egginton.ca/styles/theme_tangerine.css)



## Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 15% of the final above-the-fold content could be rendered with the full HTML response snapshot:48.



## 3 Passed Rules

### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

### Enable compression

You have compression enabled. Learn more about [enabling compression](#).

### Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).